ESD-TDR-64-355

### ESD RECORD COPY

RETURN TO
SCIENTIFIC & TECHNICAL INFORMATION DIVISION
(ESTI), BUILDING 1211

COPY NR. OF COPIES

ESTI PROCESSED

DDC TAB PROJ OFFICER

ACCESSION MASTER FILE

ESTI CONTROL NR AL#-41612

CY NR OF CYS

Group Report

1964-40

H. E. Frachtman

Haystack Pointing System: Sun

29 July 1964

Prepared under Electronic Systems Division Contract AF 19 (628)-500 by

## Lincoln Laboratory

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

Lexington, Massachusetts



AD603318

The work reported in this document was performed at Lincoln Laboratory, a center for research operated by Massachusetts Institute of Technology, with the support of the U.S. Air Force under Contract AF 19(628)-500.

## MASSACHUSETTS INSTITUTE OF TECHNOLOGY LINCOLN LABORATORY

HAYSTACK POINTING SYSTEM: SUN

H. E. FRACHTMAN

Group 62


GROUP REPORT 1964-40

29 JULY 1964

### ABSTRACT

This memorandum describes the method used by the Haystack pointing computer program for obtaining the celestial coordinates of the SUN at any time.

Accepted for the Air Force Franklin C. Hudson, Deputy Chief Air Force Lincoln Laboratory Office



### I. INTRODUCTION

SUNTRACK is a program in the Haystack Univac 490 pointing system whose output is the celestial coordinates of the Sun at a given time. The program computes the coordinates by 3rd difference interpolation in the tables of the apparent right ascension, declination, and radius vector of the Sun published in The American Ephemeris. The rates of change of the three quantities are computed by numerical differentiation.

### II. INPUTS TO PROGRAM

### A. Inputs Furnished by Core Memory

The program uses the registers listed in Table I for input information. The year and day are used to select the appropriate entries from the Sun's ephemeris. The coordinates of the Sun are interpolated for the time which is the sum of the times in CELTIME AND DELTATEE.

### B. Inputs Furnished by Magnetic Tape

The tape format of the Ephemeris for the Sun, which has been edited and recorded by a 7094 program described in Reference (1), is shown in Fig. 1. Each block of 288 words covers a period of 32 days. The ephemeris for each day required 9 words. The program does not make use of the semi-diameter or the year-month-day words in the block. The tape must be on Unit 1 (normally Servo B).

### III. PROGRAM OUTPUTS

### A. Outputs Left in Core Memory

The apparent celestial coordinates of the Sun, corresponding to the time in the register CELTIME, together with their numerical derivatives, are stored in the appropriate registers, as illustrated in Table II.

### B. Typewriter Outputs

During initialization the SUNTRACK program will type, using the INTERCOM subroutine, certain information concerning the SUN. Items printed are: Register

Contents and Scaling

W(CELTIME)

Days B28

W(DELTATEE)

Days B28

U(YEARMONTH)

Year Bl5 (4 decimal digits)

L(YEARMONTH)

Month B0

L(DAY)

Day of Year BO

### TABLE I

Core Memory Inputs to SUNTRACK Program

NOTE: Notation "B28" means that the binary point is to the right of bit 28.

I. D.		<sup>10</sup> d	14	Conventi	onal Day Nun	nber	
		•	14		8	4	(
Al	ll Zero		Ye	ar	Month	Day	
Ri	ight Ascension		B26		radians		
First Di	ifference	Right Ascensi	on	B26	radians		
De	eclination		B26		radians		
First D	difference	Declination		B26	radians		
R	adius Vector		B28		Astronon	nical Units	
First D	Difference	Radius Vecto	r	B28	Astronon	nical Units	
S	semi-Diameter		B26		radians		

Fig. 1. Magnetic Tape Format for SUN Ephemeris

W(RA)	Apparent Right Ascension B27 in revolutions
W(DEC)	Apparent Declination B27 in revolutions
W(RADIUS)	One's complement of distance from center of earth to surface of Sun B24 in Astronomical units
W(RADOT)	Numerical Derivative of Right Ascension B37 radians/sec.

W(RADIUSDOT)

Numerical Derivative of Radius Vector B24
nautical miles/sec.

radians/sec.

Numerical Derivative of Declination B37

W(DECDOT)

TABLE II

Core Memory Outputs of SUNTRACK Program

- 1. Julian Day corresponding to values in YEARMONTH, DAY, and CELTIME (7 digits).
  - 2. Apparent Right Ascension of SUN (Hours, Minutes, Seconds to hundredths).
  - 3. Apparent Declination of SUN (Degrees, Minutes, Seconds to hundredths).
  - 4. Day of Year (Up to 3 digits).
- 5. Universal Time for which the coordinates are interpolated. It is the time in CELTIME at initialization (Hours, Minutes, Seconds to hundredths).
- 6. The distance between the centers of the Earth and Sun (Astronomical Units to hundred millionths).
  - 7. The work "SUN".

If, after a search through 9 files on Unit 1 (or the finding of an end of tape mark), the sun ephemerides are not found, the program will type "SUN EPHEMERIS FOR X/Y NOT AMONG FIRST 9 FILES" and will exit to the master control program error return. "X" and "Y" indicate the current month and year, respectively.

If there is a tape servo malfunction during search, the program will type "IIIC STATUS S1 ZZ" and will exit to the master control program error return. The two digit octal number "ZZ" comes from the tape status word and indicates the error condition.

### IV. ASTRONOMICAL SIGNIFICANCE

The apparent right ascension and declination of the SUN in the ephemerides are referred to the true equinox and equator of date and are corrected for planetary aberration. They are geocentric apparent quantities; the parallax correction is made by the coordinate conversion program (COCON) in the Haystack system. The values in the tables are computed for Ephemeris Time as argument. The equation

$$ET = UT + \Delta T$$

is used to convert from Universal Time to Ephemeris Time. The constant  $\Delta T$ , represented by the number in the register DELTATEE is approximately 35 seconds.

The radius vector is the actual geometric distance in astronomical units between the centers of the Earth and Sun at the stated time.

The number 934.91 is used to convert astronomical units per day to nautical miles per second in the computation of the number in RADIUSDOT.

934. 91 = 
$$\frac{499.\ 005 \times 2.\ 997925 \times 10^5}{1.852 \times 86400}$$

499.005 = number of seconds per astronomical unit

 $2.997925 \times 10^5 = \text{velocity of light in kilometers per second}$ 

1.852 = kilometers per nautical mile

86400 = seconds per day

A comprehensive explanation of the ephemerides is given in Reference (2).

### V. PROGRAM DETAILS

The SUNTRACK program is a subroutine of the Haystack Univac 490 pointing program. The initialization section begins at SUNINIT, the working section at SUNCONT. There are several closed subroutines within SUNTRACK. These are: DAYFIND, STATUSCK, INTERPOL, LEFRNDOFF, and ROUNDOFF. A listing of the program is given in Appendix I.

### A. Initialization

The program, upon initialization, stores an RIL instruction in the tape channel internal interrupt register and an RJP STATUSCK instruction in the external interrupt register. The area in core into which the tape data will be read is cleared, together with some additional registers. This is done to make diagnosis easier in case of malfunction.

The SUN Ephemeris entries are serially numbered by the program which generates the magnetic tape (Reference 1). These serial numbers are called "Conventional Day Numbers" (CDN). An arbitrary decision was made to produce and use tapes such that the CDN for 25 April 1963 is zero. The tape search process looks at the first word in each block, therefore, the SUNTRACK program must compute the CDN of the first word of the block containing the entry for the required day.

Using as inputs the year, day of year, and the effect of integral and half-integral values of CELTIME, the program computes the Julian Day number for the typewriter. The ephemerides start and run continuously from 25 April 1963, which has a Julian

Day Number of 2438144. 5; this number is subtracted from the computed Julian Day number to find the Conventional Day Number. (It is 6 for 1 May 1963, the first day for which ephemerides tapes were made for the system.)

The first CDN in each block will be given by 6+32n where n is a positive integer or zero. The first CDN in a block is stored in TAPEBLOCK (lower half) and the SUN identification number  $10_{\rm d}$  is added to generate a tape search comparison word, stored in TAPESEARCH and also in SAFE.

The number in SLOTBLOCK represents the number of the entry in the 32-word block.

If 1 < SLOTBLOCK ≤ 29, only one block need be read in; if not, either the preceding or following tape block should also be read to provide sufficient ephemerides for 3rd order Bessel interpolation for a four-day period.

If the one-or two-block search and read operations are successful, control is regained at NORMAL and the tape is rewound without interrupt or interlock. At this time, SUN ephemerides for either 32 or 64 days are in core memory.

Besselian interpolation of right ascension is done by the INTERPOL subroutine and the interpolated result is converted to hours, minutes, and seconds and stored for type out. Declination and distance are then interpolated and stored for type out. The other quantities which are to be typed out by INTERCOM are set up. Control is transferred to INTERCOM 7 times for the seven line type out, which completes operation of the initialization section of SUNTRACK.

### B. Working Section

The SUNTRACK working section begins at SUNCONT. Control is transferred to the subroutine DAYFIND which selects the day's ephemeris entry, stores the addresses of the table entries, and computes the interpolation argument P from the given value of CELTIME. The INTERPOL subroutine is then entered three times for the interpolation of right ascension, declination, radius and their time rates. An amount corresponding to the SUN's radius is subtracted from the interpolated value for accurate radar range

control. All values are converted, scaled and stored properly in core memory and control is transferred to the master control program.

### C. Subroutines

The initialization section of the SUNTRACK program makes use of the INTERPOL, DAYFIND, STATUSCK, LEFRNDOFF, and ROUNDOFF subroutines. The working section uses all except STATUSCK.

### 1. INTERPOL

The SUNTRACK interpolation subroutine uses Bessel's interpolation formula (Reference 3) for 3rd difference interpolation of the ephemeris. The formula is

$$f_{P} = f_{o} + P\delta f_{1/2} + \frac{P(P-1)}{4} [\delta^{2} f_{o} + \delta^{2} f_{1}] + \frac{P(P-1)(P-1/2)}{6} \delta^{3} f_{1/2}$$

The quantities in the formula are associated with computer registers as follows:

- a. The address of  $f_0$  is in index register 4.
- b. The interpolation argument  $\,P\,$  is in register  $\,P\,$
- c.  $\delta f_{1/2}$  is in register GAMMA.
- d. P(P-1) is in register PSQMP.
- e.  $\delta^2 f_0 + \delta^2 f_1$  is in register DMINB.
- f.  $\frac{P(P-1)}{6}$  is in register PSQMP6.
- g.  $\delta^3 f_{1/2}$  is in register DMIN2CPLB.
- h.  $f_p$  is in the A register at the finish.

The subroutine also performs numerical differentiation using the following formula (Reference 3):

$$hf'_{P} = \delta f_{1/2} + \frac{2P-1}{4} \left[ \delta^{2} f_{0} + \delta^{2} f_{1} \right] + \frac{3P^{2} - 3P + 1/2}{6} \delta^{3} f_{1/2}$$

At the completion of the subroutine,  $hf'_p$  is stored in the register NUMDERIV.

When the subroutine is entered, Index Register 4 contains the address of  $f_0$  and the register SETINTAD contains the address of  $\delta f_{1/2}$  of the quantity to be interpolated. Index register 3 is used to acquire the other two first difference registers.

### 2. DAYFIND

The DAYFIND subroutine computes the addresses of the ephemeris entries corresponding to the current day. It also computes the interpolation argument P by properly scaling the sum of CELTIME and DELTATEE. The value of P is always positive, even though time be set negative by the system control programs. The number in DAYINDEX, which can be -2, -1, 0, or  $\pm 1$ , takes account of the effect of the integral part of CELTIME on the selection of ephemeris entry.

### 3. STATUSCK

The STATUSCK subroutine is entered from the external interrupt register associated with the tape channel when the interrupt occurs. Examination of the status code generates four possible outcomes:

- a. If the code indicates a normal completion (40), control is returned to the program at the interrupted point.
- b. If the code indicates that an end of tape mark was sensed, the tape is rewound and a message indicating failure to find the ephemeris is printed by the typewriter. The message is described in Section III B. Control is passed to the error return of the master control program.
- c. If the code indicates that an end of file mark was sensed, the register IMPERIAL is indexed and tested for the value 9. When less than 9, the next file is searched by passing control to TRYAGAIN. When IMPERIAL equals 9, an end of tape condition is assumed and the action is as described in (b) above.
- d. If the code indicates anything but end of file, end of tape, or normal completion, a tape error has occurred. The message described in Section III B, indicating the type of error is printed by the typewriter and control is passed to the error return of the master control program.

### 4 LEFRNDOFF

The LEFRNDOFF subroutine left shifts the AQ register the number of places indicated by the contents of index register 5 and rounds the A register

### 5. ROUNDOFF

The ROUNDOFF subroutine right shifts the AQ register the number of places indicated by the contents of index register 5 and rounds the A register

FRACHTMAN#7/14/64 SUNTRACK

CARDS

1ST TEMP STORAGE DAYS IN 4 YRS (0,1,2,3) NOTES **W2665** JKB L FRACHTMAN#7/14/64 SUNCALT \* SUNINIT AQ\*W(SLOTBLOCK)\*YIN A\*W (YRKEMAIN+84) T+U\*W(WHBLEYEAR) A . W ( MONTHPRINT) 2\*W (TAPESEARCH) EPHEM\*# (EPHEMB) Q\*W(WHBLEYEAR) Q\*W(TAPEBLOCK) Q BW (SAFE) #SKIP A#U(YEARMONTH) ASK (TAPEINPUI) A.W. YRREMAIN) Q\*W(YRREMAIN) A+W(MONITAPE) A\*W(INIERUPT) A\*# (IGNØRE) DOW (IDENT) C15\* D\*W(SAFE) 84 . ERASE 1.SUNP3 84\*8770 A\*1961U DAYFIND AQ\*330 2\*29D NILEN STATEMENT 9 \* 0 0.0 V# 1 AB PRIGRAM EQUALS EDUILS EQUALS MEANS ENTRY U-TAG ENT STR BJP RSH RUP ENT LSH ADD ADD STR COM STR ENT EN ENT SUB VIC STR MUL STR Z MUL RPL ENT ENT ENI FD IA TAPEINPUT BLBCKBEE UBB41 TRYAGAIN MANITAPE SUNTRACK SUNINIT SULAR EPHER HENRY ERASE LI ID LABEL 7 2000 JOOR 45.000 41.000 TTOOGS 

FRACHTMAN#7/14/64

SUNTRACK

### Compact of the co	CARDS	LI ID LABEL	TA STAT	TATEMENT	707	F JKB	>	NOTES
### WILE WILSTAMD) ### WILE WILSTAMD) ### WILE WILSTAMD) ### WILE WILSTAMD) ### WILE WILSTAMD ### WILE WILE WILE WILE WILE WILE WILE WILE								
### ### ### ### #### #################	0	12		ISARAD	011	2	01001	
### ### ### ### ### ### ### ### ### ##		12	S	0.2.0PB	770	720	000	
Delization   Delization   Delization		2		190	110	999	200	
Delize		1 2	prese	MICOLN	011	503	00665	
Mail		12	Z	*W(GMI2)*ANE	011	11736	871	
### ### #### #########################		12	40	de	015	91900	12	
### ### ### ### ######################		1	ENT	*WIDLN2	012	11030	365	
### ### ##############################		1	S	*CPW(DLN2	115	15070	590	
### ### ##############################		113	FNA	*WICELTIME	012	11036	3	
Deli32		33	LNI	* W * APBS	012	10000	5	
Note		13	0	**	210	15640	66	
### ### ##############################		-	RS.H	0.26	213	W 3008	003	
### STR Q*W(SMT2)  ### GW135  ### GW135  ### GW135  ### GW135  ### GW136  ### GW137  ###		13	VIO	( HOAY	012	23030	2	
### ### ##############################	0	1 =	25	IWS)Ma	013	14030	110	
### ### ##############################	0	1 -		*	13	10000	000	
### ### ##############################	0	4 5	100	0.33	100	63666	500	
### ### ### ### ######################	0	010	250	/ WON	3	23030		
### ### ### ### ######################	e	7 7 7		TWOTH	3	14630	273	
### ### ##############################		1 1 4	200	0.8300	m	33000	00036	
### ### ### ### ######################	9	1 1		COAC	3	22838	077	
### ### ### ### ######################		910	MOL	CACAC	1 100	27700	-53	
### ### ### ##########################		676	L 3 1		1 6	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	22.22	
### ### ### ### ### ### ### ### ### ##	*	976	ADD	Ta	4 4	15000	270	
### CELTIME   **NEG   ### CELTIME   **NEG   ###   ### CELTIME   **NEG   ###   ### CELTIME   **NEG   ###   ### CELTIME   **NEG   ###   ### CELTIME   **NEG   ### CELTIME   **NEG   ### CELTIME   #### CELTIME   ### CELTIME   ### C	•	114	SIR	EM (GMID)		10000	2	
## ## ## ## ## ## ## ## ## ## ## ## ##	*	116	ENT	.W(CELTIME) *A	and o	11/30	3 . 4	
00151       STR A*CPW(GMT2)         00152       STR A*CPW(GMT2)         00153       ENT B4*L(DISTAD)         00154       124         00155       ENT A*L(DISTAD)         00156       STR A*L(SETINTAD)         00157       80156         00157       80157         00157       80157         00157       80151         00157       80152         00158       80152         00159       80152         00157       80152         00159       80152         00159       80152         00159       80153         00159       80153         00159       80154         00159       80155         00159       80155         00159       80155         00159       80155         00159       80155         00159       80155         00159       80155         00159       80155         00157       80155         00157       80155         00157       80165         00157       80165         00157       80156         00157		5	JP	\$+3	014	100	510	
00152       STR A+CPW(GMT2)         00153       ENT B4+L(DISTAD)         00154       ENT A+L(DISTAD)         00155       ENT A+L(SETINTAD)         00156       STR A+L(SETINTAD)         00157       00159         00157       B0159         00157       B0151         00157       B0151         00157       B0152         00158       B0151         00159       B0151         00151       B0152         00152       B0152         00153       B0152         00159       B0154         00159       B0159         00159       B0154         00159       B0154         00159       B0154         00159       B0155         00159       B0159         00159       B0159         00159       B0159         00169       B0159         00169       B0169         00167       B0169         00167       B0169         00167       B0169		916	ENT	FW (GMT2	910	103		
## ## ## ## ## ## ## ## ## ## ## ## ##		415	SIS	PCPW1G	034	201	2 1	
00154       00154       00154       00154         00155       STR A*L(SETINTAD)       00150       00150       150         00156       STR A*M(INITIALIB)       00151       650       00151       650         00160       STR A*M(INITIALIB)       00152       150       00153       110         00162       STR A*M(INITIALIB)       00154       150       00154       150         00163       STR A*M(INITIALIB)       00155       110       00155       110         00163       STR A*M(INITIALIB)       00155       150       00155       150         00163       STR A*M(INITIALIB)       00155       150       00155       150         00164       U-TAG       INITIALDO*B       00165       00165       00165       00165         00167       U-TAG       RGHTASC*B       00167       00162       00162       00162       00162		-	ENT	4*L(DISTAD	910	241	14	
00155       STR A*L(SETINTAD)       00150       150         00156       STR A*W(INITIALI8)       00151       650         00157       ENT A*W(JULIANDAY)       00152       150         00160       STR A*W(INITIALI3)       00153       110         00162       STR A*W(INITIALI2)       00154       150         00163       STR A*W(INITIALI2)       00155       110         00164       U-TAG       INITIALJO*Ø       00157       650         00165       U-TAG       INITIALJO*Ø       00161       650         00167       U-TAG       RGHTASC*Ø       00162       00162       00162		1 000	N N	*L(DISTDIFAD	910	-	145	
## ## ## ## ## ## ## ## ## ## ## ## ##		2 6	STR	*L(SETINTAD	015	281	105	
00157       STR A*W(INITIALIB)       00152 150         00157       ENT A*W(JULIANDAY)       00153 110         00161       STR A*W(INITIALIB)       00154 150         00162       ENT A*W(INITIALIB)       00155 110         00163       STR A*W(INITIALIB)       00155 110         00164       UINTERCOM)       00157 650         00165       UINTERCOM)       00160         00167       U-TAG       RGHTASC*0		1 1 1	RUP	NTERPO	210	2	105	
### ### ### ### ### ### ### ### ### ##	0	716	SIR	*W(INITIALIB	015	5		
BUIGS  BU		4 - 5	FNI	*W(JULIANDAY	510	emd	-md	
### Part A*L(DAY) ####################################	0	4 - 4	STS	*WINITIAL3	015	3	2	
00163 STR A*W(INITIALI2) 00164 RJP U(INTERCOM) 00165 U-TAG INITIALJO*0 00167 00167 U-TAG RGHTASC*0 00167		ALK	FNH	AI (DAY)	619	-	631	
UNITERCOM)	0	3 - 8	2 10	*WILLIALL	518	50	0000	
0164 U-TAG INITIALJO*B UBI6B UBS 00161 659 0167 U-TAG RGHTASC*8	0			TATEDCAMA	212	5	634	
ALGS RJP U(INTERCOM)  ALGO RGHTASC*8		016	X:	COLINIERCEM	4 5	250	SAGE	
0166 RJP UINIEKUMI 0167 U-TAG RGHTASC*8	0	0 Le	1	C INITIAL OF	2 - 2	2 2 3	2 4 2	
0167 U-TAG RGHTASC*8		010	2	ULINIERCOM	0 7 0	700		
		110	-	G RCHTASC*	010	0	000	

1.) LABEL	TA STATEMENT	267	F ЈКВ Y	NOTES	10
170	RJP U(INTERCOM)	00163	634	26	
-	-TAG	00164	35	200	
-	JP UCINI	00165		56	
	-IA(	90100	300	20	
	RJP ULINTERCOM!	WALGT		26	
-	- TA	1	88	90	
-	JA DILINI	11		56	
177		00172		200	
63	JP ULINTE			56	
consi	- TAG I	60174		88	
02 AIRPORT	PL Y+1#L(	00175		32	
3	JP A	00176		20	
DA SUNCONT	NTXY	00177	61000 000010	3.63	
92	PL	0.002.00		11	
236	JP DAY	00201		74	
.2	ENT B4*L(RAAD)	00202	12418 814		
218	Z	00233	014	25	
-	- X	00204	15010 0105	5.3	
-	JP	00205	65000 01059	40	
	SH	00206		36	
consi	UL	00207		54	
215	<b>a</b>	cont		12	
16	00	percel		10	
217 MOUSE	TR	rend		32	
2.0	LN	00213		<u>~</u>	
221	UL	-		33	
222	IN	06215		34	
N	JP	00216		63	
0224	1 K	53217		37 B37	RADS/SEC
52	ENT B4*L(DECAD)	00220		23	
27.6	1	00221	1010 014	26	
227	IR	PS-1		53	
230	9	00223	010	54	
231	SH	38224	03000 0003	36	
232	UL	00225	100	54	
233	P NEGDEC * ANE	03226	805	82	
234	2	08227	3002	31	
235	00	33230	3 663	10	
236 BEAVER	X	63231	1 630	63	
	*				

ARDS	1 01 17	LABEL	TA STAT	EMENI	767	F JK3 Y		NOTE	S
0	60243		MUL	W (RDRSEC)	00	2030	000		
0			EN W		46200	9967	4000		
9			RJP	DAFF	2	2000	50410	0	0
			STR	*M(DEC	23236	2030	3010	199	KAUS/SEL
e			ENT	017#5	00237	2410	17454		
			FNT	*L(DI	00240	1010	17451		
0			STR	*L(S	14700		01053		
			RJP	INTERPOL	00242		11054		
			RSH	***0	00243	W32800 8	40000		
			ADD	A*1	00244		000		
			SUB	A** (SUNRAD)	03245		01005		
			a		68246		00000		
			STR	A*W(RADIUS)	00247		63006		
0			199	D#M (NUMDERIV)	00250		55016		
0			H	ALDINASEC	04251		11002		
0			I N	3	00252		70000	SUN	
0			0		00253		01373		
				A PLICABLE	99254		63011	324	NM/SEC
0	70	6	2 > 1	SOCO FOR VINE	88288		22180		
ø	7	SEAPORI	EAL		88254		2000		
	23	LAINE	7	0	DC 200		00363		
			SUB	A#M (HALFUAY)#APOS	10700		00100		
0			4	LESSONE	90799		71700		
			RSH	AQ#300	19700		n		
0			DIV	W(HALFUAY)	00262		0		
0			LSH	AQ*38D	00263		00036		
0			SUB	A#1	00264		00000		
4			dr	TWOLESSWAZERØ	00265		00270		
			dr	SAANE	00266		00270		
			EN	SKI	00267		-		
	25000	SSU INTL	FN		00270	11046	77775		
0		1 1	10		00271		00334		
0	27000	FCCANE	T N		00272		100		
		222		4 0	27500	222	36800		
	9 5	-	1 7	2	200	2 2 2	2222		
0	50	DAYFIND	300		100	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9 -		
9	190302		- I	A*W(CELLIME)	170		66160		
0	830		ADD		170	0000	nd r		
,	30304		JP		7	9991	23		
	030		LSH		200	000	2		
				4	12 3 18				
	330		SIIB		00000	1130	17070		

																					1968 GNWCH NBBN				963 CNWCH NBBN				
																					37				1				
S																					DEC				MAY				
ION													360								20				20				
	01026	2 2 2 2	2 3	200	10000	102	102	27777	030	313	828	919	200	076	600	3 6 6 6	033	000	20000	141	317	315	141	838	2 5	-4	2 5	500	141
JKB Y	1100	999	2000	2000	22999	5130	5130	1140	2030	1633	1000	0691		3636	1000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0700	1180	300	200	8838	0000	5636	9839	1636	252	2 2 2 2 2 2 2 2 2 2 2	2000	4838
0	303 1	9 3 5	386 6	1.0	111	13	14	57	17	50	21	22	57	52	26	7 %	31	32	33	+ 15	36	337 2	94	7 4 7	2:			42	
FRACHTMAN*7/14/64	22	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 3	2	23 2 20 2		20	20 3	20 22	88	20 1	200	2 2	00	20 2	2 2 2	20	50.50			20	6.0	2	80	2	20 20	9 5	50 50	0.0
FRACHTMA	d I XS	ı	لنا		O E N	20	IP		DFX)	1 114		Y I * A P B S				15				E ARI	1		NDAYI	U.		2		-	EBL3CK)
SUNTRACK	* [ P ] * * * * * * * * * * * * * * * * * *	138 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	(mm)		A*1*AP3S	中国(ア)は	*M(P) *SK	#-2#SKIP	IAVU)M*		LATNEG	王) 王市	0000	CHALFDAY	0#3	FRASA7F	ERB	*I *SKIP	D #	A * M C C A I NC	*24373		JULI	DAYI		DAY		4	IAP
A A	A*W(P)*	A*A*SKI	TIMESLI		ABLEAD	A W (P)	A*W(P)*SK	A#-2#SKIP	A#-1	A.WICELT	FLATNEG	A*W(HALFD	AD*	WIHALFDAY	AQ#30	CERSSA7F	CERBANE	A*1*SKIP	A# A	A PER CAN	A#24373	A*L	A*W(JULI	ASWIDAYI	A#243815	DAY	A COR	320	JAM (TAP
SUNTRAC	A*W(P)*	138 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	TIMESLI	2 2	ABLEAD	A W (P)	A*W(P)*SK	A#-2#SKIP	A#-1	A.WICELT	FLATNEG	A*W(HALFD	AD*	WIHALFDAY	AQ#30	CERSSA7F	CERBANE	A*1*SKIP	A# A	A PER CAN	A#24373	A*L	A*W(JULI	ASWIDAYI	A#243815	APWIDAYI	A COR	320	JAM (TAP
SUNTRAC A STAFEMENT	A*W(P)*	A*A*SKI	AVINDEX &		EGTIME LSH A*1*AP	A W (P)	A*W(P)*SK	A#-2#SKIP	A#-1	ENT A-WICELT	FLATNEG	A*W(HALFD	AD*	WIHALFDAY	AQ#30	CERSSA7F	CERBANE	ENT A*1*SKIP	ENT A#A	ADD ASELET	A#24373	A*L	A*W(JULI	ASWIDAYI	A#243815	APWIDAYI	A COR	320	DAT ) M *C
SUNTRAC	STR A*W(P)*	A*A*SKI	313 JP TIMESLI	315 DAYINCRMYT 0	316 NEGTIME LSH ABIRD	3.8 STR A**(P)	321 STR A#W(P) #SK	322 ENT A4-2#SKIP	32.3 ENI A#-1	3/5 ENT A*WICELT	326 JP FLATNEG	327 SUB A*W(HALFD	3331 ASH AD#	332 DIV WIHALFDAY	3333 LSH AQ#38	334 SUB A*1	JP CERB*ANE	337 ENT A#1#SKIP	340 CERB ENT A#J	AND ARELETE	343 ADD A*24373	344 ADD A*L	345 STR ANNIJULE	346 ABD A*WIDAYI	347 SUB A#243815	APWIDAYI	SJI KSH AU	352	353 STR D#W(TAP

heed	D LABEL	TA STATE	EMENT	207	F JKB	<b>&gt;</b>	NOTES		
3		CCV	OR A FOHEM + 2 Jan	86352	9999	62073			
0		200	THE LOAD	2	2 2	14			
30	Q	200	1 .	2 1	2000	1000			
36	and .	ADD	-	40000	00000	5 6			
36	~!	STR	Q+L(RADIFAD)	66500	4010				
36	3	ADD	-	00326	0000	9 9			
36		STR	U*L(DECAD)	00357	4010	745			
3	5	ADD	0.81	00360	200	2			
200		STR	(6)	00361	4010	145			
7 19	2 6	000	1 1 1	88362	60009	00001			
0		2 1	1 .	89800	4.61.6	142			
47	9	2 (	*11013	2 2 2	A LA CA CA CA	46693			
3		ADD		10000	4.000	70718			
3	2	-	Q*L(DISIDIFAU)	000000000000000000000000000000000000000	0704	- 4 - 5 - 5			
3	3			00300	TOTO	41799			
1	4 STATUSCK	×	>	00367	1000	000000			
1 7		and	PHE	00370		00502			
	1	Z	*ULTAPSTAT!	00371		00502			
9 0	2 0	T O	*110	80372		20013			
9		200	1 1 1 1	37		60503			
\$	9	2 0 0	1 1 1 1	00274		19800			
4		X	and "	2022	12218	2000			
14	2		2	7 6		20000			
141	3	RIL		0 0 0 0 0 0		200000000000000000000000000000000000000			
46	4	dr.	STATACT+83	11600		2000			
146	5 STATACT	dr	BUST	00400	01000	40.500			
14	9	JP	BUST	10500	97979	4			
36	1	JP	BUST	00402	61000	2			
2		JP	BUST	00403	61886	- 10			
4		d	8051	90404	61666	5		Z	23
N W	2	d	UP	00405	61000	38454	×	DING 24	
N. A.	7	0		00400	61000	96454	6 CH	2	
1	4	-		10000	61000	60454		LEGAL 34	
60 7	at t	7 2	2	91700	10	036	53	NBRK	
3	2	< (		38411	61993	33454	,	EPEAT 44	
34	9	20	8021	11100	0 5	A (A L. S. L.	10	~	R. C.
0 0041	1	d P	BUST	71400	GOTO	+ .	7 (	ELNN CEN	0
36	153	dr	ENDFILE	140	040	20	2	500	
4		d	CANTFIND	140	20	249	14	101	
24.20		d l	BIIST	90415	61888	00454	15	SUC	
3 1		2 -	1500	775		38454	16	ABN F C	13
4		2 .	1000	247	000	345	17	NTERL	74
0	5		8031	4 0 7 70	267	177			
40		×	CT EPHEM#	740	200				
988	9		B4+L(MONTHPRINT)	00421	12410	00160			

60427	ENT	A** (YEARPRINT+84)	345	11034	31336		
66430	STR	ER ) Ma	42	20	055		
4 3	ENT	LIYEARMS	342	741	316		
43	ENT	. WIMBNIHPRINT	42	3	2		
200	KPL	+Yew (NODATA	36	403	850		
4.3	73	* 4	13427	16	60000		
4	ENT	Q*LIBARRIER)	43	10010	36		
43	VIU	12	243	36	601		
43	ADD	A*63	03432	20000	900		
3	STR	A*U(IMPERIAL)		15020	141		
33	OF	4.4		11000	989		
2770	VIO	1.2	4	23000	3		
4	90	ALBERT * ALERS	00436	68483	38443		
555	AUD	0	00437	20000	30368		
BUSGS ALBERT	LSH	Asc	0.5440	36000	38686		
3	ADD	A*ULIMPERIAL)	AP.	99	100		
190847	LSH	AND	25500	99	00000		
38453	ADD	A * 3 1 3 5 8 8 8 8 9 5 5		600	317		
03451	SIR	NIME	00444	15030	88558		
12	8 30	ULLINTERCOM!		65020	63426		
5	U-TA	G NADATA*U	.45	5	00		
57	9	LISUNINITI		91	00002		
455 E	XPL	Y+1+L(IMPEKIAL)	0	99	01410		
456 BARRIE	SUB	A#11	10	136	10	SUN	
5450	d P	CANTFIND*ALERO	10	340	740		
095	d P	YAGA	00453	30	603		
0	X-F		2454	367	36773		
00462	INT	AI A	03455	11010	00503		
0	RSH	A+1	00426	05000	10000		
0	ADD	A*63	100457	20000	376		
0	LSH	A * 6	03463	36600			
33466	June	A*L(TAPSTAT+2)	19566	15013	30304		
940	E.N.T	*LITAPSTAT+	23462	3	00583		
00410	LLJ	CL*X77776	89463	52040	17776		
013471	5	A=2	23464	600	2		
27406	ADD	09*	04465	20002	30000		
06473	ADD	A*L(TAPSTAT+2)	09400	20012	40000		
474	-	*L ( TAPEBUST	29407	15310	50000		
63475	9 Y	U(INTERCOM)	23410	25	63426		
00476	U-TA	TAPEBUST*3	Free	80473	90000		

		VOTES
		F JKB Y
SPURI DUTPUT NO. 218	FRACHTMAN* 1/14/04	707
T	SUNTRACK	TA STATEMENT
		L1 ID LABEL
9 9 9		CARDS

	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Q		33412	61016	36882	
		0	, C		60473	603		
	2000	AFEDS	2 5	TAPEHISTI	15	-	047	
	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	TAPERIISTI	FD		147	6161		
	3 3	200	- u	1	147	313	5.7	
	1 15		FD	0	177460	3		
	1				852	350		
	-		5	51	103501	77777	11111	
	2 2	TAPSTAT			-3	00000	20000	
	3 2	7			88283	20000	35000	
			+		20504	00000	40000	
	4 -	VECOF			60650	3	00231	
	4	1	SUB		456	21000	1875	
	4 -		d l	LL	050	61000	30231	
	d es	NATIV	ADD	*	-	30303	9	
	d -w		SIB	A W (SLATBLECK)	150	21036	01428	
	d w		000	MCKAY*APBS	351	00000	08500	
		RI OF K TEF		T. L.	351	13670	19600	
	10	2000	NON		0.5	120021	00000	
	7		- 1	T EDHFM#W(SRHIBIN)	-	13570	50105	
	40		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		and	12030	83338	
	10		TX-X	CT EPHEM*W(TAPESEARCH)	50	13670	12410	
	1		0	- SA	52	00010	25	
	4 . 1		Z		23521	-	24500	
	1	PATCH		C+*4	52	100	33344	
	10		×	( )	CV	-	376	
	1 4		RPL	A+Y*W(TAPESEAKCH)	92500	24030	01421	
	1 10		FX-F		N	13678	mi	
	1 0		0.	~4	97520	61003	Pul	
	100		JP	NORMAL	100327	100	8	
0	-	BI MCKAY	2	EPHEM*W(EPHEMA)	8333	367	2	
			Z		36531	16	3	
8	1 10		X	CT EPHEM*W(	02532	367	40765	
	100			A+Y*W(TAPESEARCH)	0.0533		51421	
	1 . 5		×	FPHEMWW	00534	13670	01421	
	16		2	-4	WA535	01500	66585	
	10		Z	Hd	20530	73670	15600	
	1		d r	ATCH	18600	01030	W1522	
e		FDHEM	7	A			01431	
	20004		- 1-	J AEPHEM+5750*AEPHE	17503	42554	22671	
	1							

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

00546 EPHE 00547 N00A 00551 N00A 00552 00553 00555 00555 00555	A N	2		207	0 4 7	na na	
10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35"						2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
200000000000000000000000000000000000000		U-IA	G AEPHEM+863D*AEPHEM+576D	<b>WW542</b>	03170	W2531	
558 NBD 554 NBD 554 NBD 555 NB	Section	0	G*A	S	10	3	
55 NBD 554 NBD 556 NBD 556		9-	ATA	93544	77777	3	
55 554 855 850 850	TAL	FD	8. SUN E	99545	154	38512	
55 NBD		FD	U*PHEME	00546	25151	and	
554 555 NBD 556		FD	BARIS F	14500	27163	80513	
555 NBD		FD	8	93569	24270	20202	
10 R	TAZ	FD	Ø*63/63	55	66637	46663	
W		FD	TON #8	00552	3	43105	
٩		FD	BAAMONG	00553	06222	42314	
5		FD	B# FIRS	33554	3	62730	
5	TA3	FD	7*8	00555	31658	50505	
5		FD	OFFILES	00556	13162	11236	
S		9-		100557	TITIT	11111	
5	IALJD	FD	S & A	00200	06050	58585	
W		1	G INITIAL 2 + INITIAL 1	88561	00566	00562	
56	IALI	FD	# JUL	00562	17322	160	
5		FD	Z#N DAY	00563	23051	53	
				98564	05050	58585	
57		0-		88565	77777	11	
DETL INIT	1000000	FD	0*8	00500	11050	50505	
5		2	INITIAL3	00567	77777	66576	
3	IAL3	0		01500	00000	00000	
57	IALDAT	FD	3 * A	00571	86858	58585	
575		All des	G INITIALIL INITIALIB	00572	00577	66573	
	IALIB	FD	BF YEAR	80573	11063	60524	
				200574	13053	61286	
				80575	27050	58585	
211		2		90576	77777	LLLLL	
66	IALII	FD	Ø ⊕ D	0.577	11050	58585	
661		2	INITIAL12	26696	77777	00001	
INI ZOS	4	2		00601	00000	00000	
603 RGH		FD	Ø*A	00632	06050	50505	
6.0		2	RAI	00623	00000	00620	
8605		FD	Ø⊕D.	33684	11050	50505	
29		2	RA2	30000	00000	00624	
2000		FD	Ø*A	00000	06050	50505	
19		9	RA3	10000	50000	62999	
-		FD	Ø*D	19	11658	58585	
		0	RAG	50	00000	00627	

CARDS	LI ID LABEL	TA STATEMENT	707	F JKB Y	NOTES
•	20	*?	-	86850 5858	
		RAS		80000 0000	
	199	0 3*	-	35620 7626	
	199	RA6	7	<b>BBBBB BBB 3</b>	
	200	*9	7	86858 5858	
	36	A RA	-	17777 0063	
	362	34	2	27161 4153	
	4		2	05063 0100	
			2	<b>85858 8888</b>	
	62		2	TITI TITI	
0	1672 BA	) (	2	8888 88888	
•	120		N	<b>BODDO BISB</b>	
•	1021	1 22	0	TITT TITT	
0	1626 PA		2	0000 00000	
е	700	2295	3	00000 0220	
6	1000	1 5	77	TTTT TTTT	
0	621 0A	5	60	23400 60000	
	000	in co	100	33333 5533	
6	1036 AM		.0	7777 7777	
	46.46.0	0 0	-0	36050 5050	
	_		00030	88888 8865	
	7 6 7	C# 8	.0	11050 5050	
•	7 7 7 7		54	<b>6999</b> 6665	
21	2 6	2 * 2	5	26858 5858	
0	797		5	20000 0000	
	364	0	54	11850 5858	
	164		54	20000 3066	
	366	D S A	54	06050 5050	
	764	DLN	56	33844 UNDE	
	796	0	99	35620 7626	
	246	9N 10	3	30000 3366	
•	200	0 % D	2	86858 5858	
	165	5	2	77777 0066	
0	2 5	FD 3*DECLINATION	39	11121 0211	
			59	23063 1162	
			94655	23050 5056	
	366	534	6 5	TTTT TTTT	
0	N 10 454		65	10000 00000	
	00655 DLN3		2000	Beside	
1	2656		99	77777 77777	
	000				

DLN5 DLN6 DLN6 DLN6 DLN6 DLN7 S205 DLN6 DLN6 B GMT1 FD GMT1 FD GMT2 FD GMT2 FD GMT4 FD GMT4 FD GMT4 FD GMT4 FD GMT4 FD GMT4 FD GMT5 GMT2 GMT2 GMT2 GMT2 GMT4 FD GMT4 FD GMT4 FD GMT4 FD GMT5 FD GMT5 FD GMT6 FD GMT6 FD GMT6 FD GMT6 FD GMT7 FD GMT6 FD GMT7 FD GMT7 FD GMT6 FD GMT7 FD GMT7 FD GMT7 FD GMT6 FD GMT7 FD GMT7 FD GMT7 FD GMT6 FD GMT7 F	CARDS	LA ID LA	BEL I	A ST	ATEMENT	207	T JAG	>-	NOTES
000557 DLN4  000660 DLN5  000661 DLN5  000662 DLN6  000663 DLN7  000663 DLN7  000663 DLN7  000663 DLN7  000663 DLN7  000664  000665 GMT  000667  000667  000670  000670  000670  00070									
### 1285   1285	ø	10 F53 DL	42	P		990	medition.	000	
### ### ### ### ######################		JO 0998	NS	7205		990	-	120	
### ### ### ### ######################		19661		8-		990	11111	Piece	
## ## ## ## ## ## ## ## ## ## ## ## ##		8662	Z	0		999	-	MEDI	
## ## ## ## ## ## ## ## ## ## ## ## ##	,	9663	Z	52		990	00000	00052	
### ### ### ### ### ### ### ### ### ##	٠	9664		0-		990	b.	Pine	
## 6 CM TI B		9665 5		FD	100	198	- 400	MO	
### ### ##############################		9999		53	E	198	Approx.	150	
## CMT2 ### CMT2 #### CMT2 ##### CMT3 ####################################		999		FD	101	190	100	150	
## ## ## ## ## ## ## ## ## ## ## ## ##		1987		5	王	798	metric.	conf	
### SMT3 ### SMT3 ### SMT4 #### SMT4 #### SMT4 #### SMT4 #### SMT4 #### #### SMT4 #### #### #### #### #### #### #### #		190		FD	# A	19	1.69	150	
### ### ### ### ### ### ### ### ### ##		190		62	H	19	1000	-	
## 68674 FD ## 6 GMT4  ## 68675 FD ## 7  ## 6 GMT6  ## 6 GMT6  ## 6 GMT6  ## 6 GMT6  ## 7 GMT6  ##	٠	199		FD	0 *	19	100	5050	
### ### ### ### ### ### ### ### ### ##		199		8	E	19	March.	20071	
### ### ##############################		199		FD	181	16	10	5050	
### ### ### ### ### ### ### ### ### ##		1967		50	X	10	NO.	0071	
### CHATCH CONTROL OF CHATCH C	) 0	190		FD	*X282	5	0.1	7626	
- 6 GMT7 - 7 GMT63 GMT2 - 8 GMT7 - 8 GMT2 - 8 GMT7 - 8 GMT2 - 8 GMT7 - 8 GMT2 - 8 GMT6 - 8 GMT7 - 8 GMT6 - 8 GMT6 - 8 GMT6 - 8 GMT7 - 8 GMT6 - 8 GMT6 - 8 GMT7 - 8 GMT6 - 8 GMT6 - 8 GMT7 - 8 GMT6 - 8 GMT6 - 8 GMT6 - 8 GMT7 - 8 GMT6 - 8 GMT7 - 8 GMT6 - 8 GMT7 - 8 GMT6 - 8 GMT7 - 8 GM		878		53	H	10	19775	0012	
### ##################################		878		FO	nin.	5	10	5050	
### BWT03 GMT1 FD 3*UNIVERSAL TIME ####################################	٠	878		100	E	010	77777	00721	
### ### ### ### ### ### ### ### #######	4	0703 G	-	FD	*UNIVERSAL TIM	10	ACO.	6331	
### ### ### ### ### ### ### ### #### ####						(5)	407%	6210	
## ## ## ## ## ## ## ## ## ## ## ## ##						71	.0	2128	
### ### ### ### ######################	22	878		2-		1	Direct .	7777	
00706 GMT3     1505       00710 GMT4     0       00711 GMT5     2205       00711 GMT5     2205       00712 GMT7     0       00713 GMT6     0       00714 GMT7     0       00715 GMT7     0       00716 GMT7     0       00717 GMT6     0       00717 GMT6     0       00717 GMT6     0       00717 GMT7     0       00717 GMT6     0       00717 GMT7     0       00717 GMT7     0       00717 GMT7     0       0     0	4	0705 6	jum	8		end (No	MITTS.	9999	
00710 SMT4 00 00711 GMT5 2205 00711 GMT5 2205 00712 00712 00712 00712 00712 00712 00712 00715 00		07.06 G	June	1505		end Pos	PETS	0158	
00711     GMT6     0       00711     GMT5     -0       00712     -0       00712     0       00713     GMT6     0       00714     GMT7     -0       00715     0     0       00717     0     0       00717     0     0       0072     0     0       0072     0     0       0072     0     0       0072     0     0       0072     0     0       0 <t< td=""><td></td><td>7070</td><td></td><td>0-</td><td></td><td>1</td><td>Stern.</td><td>7777</td><td></td></t<>		7070		0-		1	Stern.	7777	
00711 GMT5 -2205 00712 -0 00712 -0 00714 GMT7 -0 00715 -0 00715 INITIALDIS FD 0**D INITIALI7*INITIAL16 0072 0072 0072 FD 0**DISTA 0072 0072 0072 -0 0072 0072 -0 0072 0072 -0 0072 0072 -0 0072 0072 -0 0072 0072 -0 0073 0072 -0 0073 0072 -0 0073 0073 0073 -0 0073 0073 0073 0073 0073		6716 3	-	150		-	NETS	0000	
00712 00712 00713 00714 00715 00715 00715 00717 00717 00717 00717 00717 00717 00720 00720 00721 00721 00721 00721 00721 00721 00722 00722 00722 00722 00723 00723 00723	8	0711 6	( cons	20		11	NETS.	0220	
00713 5476 0 0072 0072 0072 0072 0072 0072 0072		0712		9-			Penn	7777	
00714 GMT7 36 00715 -0 0*A 00716 INITIALDIS FD 0*A INITIALI7*INITIAL16 0072 0072 0072 0072 FD 0*DISTA 0072 FD 0*NCE 0072 0072 0072 FD 0*A U 0072 -0 0073		6713 3	1-	9		25	WITH.	2000	
00715 00715 00715 00717		0714 G	-	36		25	00000		
00716         INITIALDIS         FD         0*A         INITIALI7*INITIAL16         0072           00728         INITIAL16         FD         0*DISTA         0072           00721         FD         0*NCE         0072           00722         FD         0*A         0           00723         -0         0         0           00723         -0         0           0073         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0         0           0         0		6118		9-		672	Diene	7777	
00717 U-TAG INITIALIS 0072 00717 0072 0072 0072 0072 0072 007		1 9118	ITIALDI	FD	201	072	100	50505	
00720 INITIAL16 FD 0*DISTA 00721 FD 0*A U 00722 - 0072 00723 - 0073		1110		1	G INITIALL7*INIT	0072	00731	0072	
00721 FD 0*NCE 00722 00722 - 0 0*A U 00723 00723 00724 1 0 0*X8328		1 6270	ITIALI		*DISTA	872	0	0313	
00722 FU 0*A U 0072 00723 W0724 INITIALLY FD 0*X8828		0721			THE CO	672	1553	2050	
00723 00724 INITIALITY FD 0*X8328		112			# A	872	0	507	
M0724 TVITIALI7 FD 0+X8628		270		9-		073	Diame	7777	
THE PROPERTY OF THE PROPERTY O		U724 I	ITTALIT		Ø*X8328	10	35700	7627	

2	
0	
-	
3	
reed .	
-	
Per	
-72	
40	
X	
Same	
I	
0	
d	
0	
LL.	
×	
Y C	
ACK	
×	
×	
SUNTRA	
UNTRA	
SUNTRA	

TA STATEMENT

LI 10 LABEL

CARUS

NOTES

F JK6 Y

	87168		-N INITIALIB	08732	11111	2		
	072	TIAL 18		013	0	000		
0	1500	WILLAL		373	0	920		
	02730		U-TAG INITIAL20*INITIAL19	073	- de	813		
	00731	INITIAL 19	FD 3*BBJECT	273	24071	71210		
				873	0	020		
				374	0	020		
	00732			910	President	111		
	00733	INITIALZB	FD B#A	910	10	229		
	60734		-0 INITIALZI	310	Prom	320		
	80735	INITIALZI	32230000	26	21	000	FD 0 S	SUN
	0.3736		5	216	Promo	111		
	15700	MONTHPRINI		979	150	888		
	00740		836188888	276	annual lines	300		
	3		6200000	276	21	000		
	00742		6300000	270	200	000		
	00743		646666	878	- 197	000		
	0		650000	278	10	00		
	1 12		6688888	878	-0	000		
	3		6700000	075	Finance	000		
	60747		300	375	20700	000		
	10		210000017	278	enni	2		
	25		6000000	076	3	000		
	5		6161688888	076	61610	000		
			-	016	21	000		
	5	HALFDAY	000	910	10000	000000		
	20	REVSRADIAN	276301	910	-	510	DEC	0.63661977829
	83756		5600000002	916	600	59		
	00357		0000	376	000	5000		
	00700	INTERUP	RJP STATUSCK	19168	65000	00367		
	W3761		2013000002	110	010	000	1 B	NO INT
	03762	IDENT	3000	110	001	000	SUN	
	5	CASS	111	110	200	77126	DEC	13756.987815
							200/PI	
	99166	HRAD	1030124435	00773	16361	24435	DEC /12	.26179939829
	00765	MINSRAD	2167643241	92126	21676	43241	DEC	.55853536829
9	00766	HDAY	1252525250	2113	12525	25250		.33333333829

\*

2E

2E

64

						10		Z																							
								SUN																							
	.71111111829	86400.000812	.59573905829	206264.81811	934.91819	.75851852829	6.2831853826	. 8346555824																							
NOTES	B32	10/1440 DEC	200	174360	Ce	J 0	000	DEC	2																						
>	66026	88888	45527	43172	43656	44241	75523	30432	999	999	99	999	999	999	999	46670	199	000		200	0000	888	000		000	00	000	000	000	000	20 20 20
F JKB	26602	25060	23848	31133	35156	30213	31103	06662	000	000	3	999	900	200	000	200	000	200	900	900	000	200	000	000	000	000	999	000	BBBBB	000	1
707	20176	11188	01000	01001	01002	01003	01004	01005	188	100	01010	101	101	101	101	101	101	101	102	102	102	102	102	102	102	102	103	103	103	103	
STATEMENT	2660266026	2586888888	2304045527	3113343172	3515643656	3021344241	3118375523	0000230432	99974666	30074666	9994200	99974666	686746	00074666	00074666	00074667	0007466	000000000	22	2	23	20	9	2	5	2386666666	2	2	83	2	
F																															
LABEL	MDAY	SDAY	SECSRAD	SARAD	AUDNMSEC	RDASEC	TWOPIE	SUNRAD	YEARPRINI										FIRSTOIFF	BETA	DAMMA	F	EPSILUN	FUNCTION	0.	HALF	OMINB	MINZCPL	EP28M2DMA	BESSEL	
TI ID	19167	80778	38771	06772	88773	91100	88775	9116	1110	186	3	186	1.00	100	180	01856	1001	1010	1011	1012	1013	1014	1015	1016	1911	1964	1221	1322	1823	1024	
ARDS	0	q	0	0	9	•	0			0	e	9		4	8	6	0		a	0	q	4	•	a	0		0	4	,	•	
(3															2	4															

969

2E1

## SUNTRACK

# FRACHTMAN # 7/14/64

	3		S		01035	20000	30000	
0	100		2 3		103	2000	0000	
6	7 5		2 62		2	0000	2000	
9 (	01831	NOS	2		104	0000	3000	
	032	SOMP6	2		104	2	0000	
	633	HIRD	1252	252525252	01042	-	N	
	54 5	IXI	0525	V	01843		5252	
	835 K	VED	19		01044		0000	
	W36 N	URI	9		01045		3000	
	637	SEL	2		01046		0000	
	040		ا م		104	1 66669	3000	
	2		10		105			
	3		9		105		50000	
	20		2		01052		0000	
	340	ETINI	2		05			
	3	NTERPB	ENTR	>	105		0000	
0	846		ENT	0*-11	01055		1116	
0	70		RPL	Y+U*LISE	2	37)	0105	
	35		ENT	B3*L(SETINTAD)	105	1231	0105	
	185		CL	* 0	1.66	1000	200	
0	105		ENT	A*W(B+83)	196	1103	8888	
0	05		STR	*W(BET	01062	1503	0102	
0	105		ENT	83#11+83	01063	1230	0031	
0	88		ENT	A*W(0+83)	01064	4 1103	0000	
	105		STR	A . W [ GAMMA]	01065	5 1503	0102	
	-		ENT	83#11+83	01066	5 1236	200	
0	180		ENT	9+0)M4	01067	110	5000	
	901		STR	A#W(DELTA)	01070	0 1503	0102	
0	981		ENT	*WIDEL	01071	1 1103	MINZ	
	186		SUB	A*W(BETA)	01072	2 2103	0102	
0	106		STR	** (DMI	01073	3 1503	8183	
	90		ADD	E	01074	4	0103	
	2		STR	(BE	01075	5 1503	0103	
	100		Z	HIDELT	31876	6 11036	0102	
	107		ADD	3	10	7 2	0102	
	197		SUB	D) M *	21196	9	0102	
	107		SUB	A = M ( CAMMA)	10	1 21030	0102	
	20		STR	*WIOMINZCPLB	01102	2 15033	3 21031	
	107		JP	IFF42ERD#	97	682	0125	
	-		ENT	W (EPSILON)	01104	1.1	0102	

ARDS	L1 10 L	ABEL	A STAT	EMENT	TOC	F JKB	>-	NOTES
	6		GIID	A CT 2 CT	31145	21628	0 2 2	
	2 1		and a	I I I I I I I I I I I I I I I I I I I	110	21620	2 5	
0	1 1 2 2			I DE SOLL	1 1 6		(4   (4 )	
6	1100	-  -  -	2 1	IEPZBMZUM	110	acan't	Carro	
٥	LLO	AKILAL	2	1	-i :	LOW SE	7010	
	110		MUL	M(GAMMA)	-	22038	0102	
0	113		LSH	AQ#1	111	01000	0000	
4	377		STR	( BE		15033	0103	
0	113		STR	8	111	15638	0103	
0	311		4	8ES		61000	0135	
Q	113		LSH	29	111	20070	000	
0	111		SEL	CL*W(KEY)	01117	52030	0101	
٠	111	TUAL	STR	A*W(FBESSEL)	112	15030	010	
	111		STR	(FBE	1.12	15030	0134	
0	111		ENT	(d) R#0	12	10030	0102	
0	111		MUL	W(P)	112	22030	0102	
0	111		ENT		2	12588	000	
0	111		RJP	LEFRNDØFF	112	65000	0137	
	111		SUB	A*W(P)	12	21030	0102	
	112		STR	A*W(PSQMP)	112	15030	MIBS	
8	112		RSH	AQ#340	113	M3BBB	000	
0	112		MUL	M(DMINB)	113	22030	0103	
9	112		RSH	peci	113	03000	0000	
0	112		STR	(BE	61133	15630	0103	
•	112		JP	3ESS	113	61000	013	
0	112		LSH	230	113	01000	0003	
	01127		SEL	>-		52030	0101	
	113	TBRZ	STR	4	113	15030	0105	
0	113		N L	0	14	11030	2	
ě	113		RSH	30	116	83003	000	
	113		100	6*AZERB	4	23400	0000	
	113		JP	REMAINDER	-	61000	2	
	113	INCOLN	STR	0*W(PS0MP6)		14038	0	
	113		FNT	O = M ( P )	01145	10030	010	
0	113		SUB	I	14	10	102	
q	114		MUL	SOMP6	114	2	184	
	717		RJP		-		61373	
	114		RSH	AQ#380	17	3	600	
9	111/		MUL	W(DMIN2CPLB)	81152	22030	01031	
	911		L SH	AG*1	01153	20	000	
				K			-	

FRACHIMAN\*7/14/64

SUNTRACK

4					-	3	
CARUS	LI IU LABEL	IA SIAI	EMES	רחר	T JAB	-	MOLES
٠	114	JP	EGBE	115	10	136	
0	74116	LSH	0.8290	115	2007	600	
	1000	SEL	) Ma7	115	203	101	
	-	STR	*WIFBESSE	116	50	105	
	provide the	ENT	F	116	153	183	
	-	JP	BEBURTH	116	100	125	
•	prosi	FN	BSd) M#	116	003	104	
	-	SUB	#WITHIRD	116	10	104	
	_	MUL	(PSOM	116	20	104	
0	energy.	RJP	EFRNDS	116	200	137	
	1	4SH	0#3	116	300	003	
0	(100)	MUL	(EP2	1117	203	103	
0	eneg	RSH	*	117	360	800	
	provide	STR	*W(BES	1117	563	103	
0	-	d C	S	1117	166	137	
0	respond	LSH	0.29	1117	001	500	
•	-	SEL	LAWIKEY	1117	203	101	
•	person	STR	*WIFBESS	1117	503	105	
0	-	ENT	#WIFBESS	111	103	104	
	president	SEL	P#W(FBESSE	120	103	105	
	11172	90	TEST1*APB	01201	2	01271	
•	1173 N	ENT	*WIBESSE	120	003	163	
	-	RPL	+O+M(BES	120	403	103	
27	-	ENT	*W(FBESSEL	120	103	1.95	
7	-	RPL	+Y#W(FBE	120	4103	104	
•	-	SEL	P*W(FBESSEL	120	proof.	105	
•	1200	JP	LØTEST2*AP	120	090	131	
0	1201 NOF	ENI	*W(BESSEL+3	121	003	103	
0	1202	RPL	+0*W(BES	121	4103	103	
0	10000	FNH	*WIFBESSE	121	103	52	
0	-	XPL	+Y*WIFBE	121	93	104	
0	-	SEL	P*W(FBESS	121	103	185	
0	120	JP	LØTEST3*A	121	90	133	
	120	ENI	*W(BESSEL	121	003	E 3	
•	1213 FIX	APL	+O*W(BES	121	403	01033	
•	121	2	*W(FBESSEL	122	103	195	
•	01212	0	+Y#WIFBES	122	403	23	
	121	2	(d) M*C	122	363	32	
	10	SUB	WH HA	22	20	N	
	12		(DMINB	122	N	4 D	

CARDS	LI ID LABEL	TA STAT	EMENT	207	T JKB	>.	NOTES
•	12	C	300 200 200	100	0	2 2	
0	01213	A CA	LEFRNDSFF	91226		01373	
	122	STR	.W(KENN	122	10	104	
0	122	E	dwosd) Ma	123	99	104	
a	122	ADD	WISIN	123	99	104	
0	122	MUL	(DMIN2	123	22030	183	
0	122	RJP	EFRNDOF	123	500	137	
+	122	ADD	* W.C.K	123	38	184	
0	122	ADD	* WIGAMMA	123	8003	102	
a	122	STR	OWUND WA	12	503	104	
	123	ENT	*W(FBESS	123	91	50 T	
0	123	JP	INUS	124	100	124	
q	123	LSH	#1#ANE	124	670	000	
0	123	ENT	#W(BESSEL	126	113	103	
	123	RPL	+1 .NIBESSEL	124	603	163	
	123	ADD	(8+B4)	12	3	888	
0	123	EXII		124	101	105	
0	123	LSH	Blanbu	124	668	000	
0	124	ENI	*M(BESSEL)*	124	113	103	
0	124	RPL	-1*W(BES	125	703	103	
0	1242	JP	≥0S	125	100	124	
6	124	7	181	125	100	88	
0	124	STR	) 河田	125	503	103	
2	1245	d o	TORG	125	100	111	
e	124	STR	) 西山	125	403	163	
	124	d P	PARTIAL	mi	100	177	
*	125	d.	INI	125	620	126	
	25	STR	A B	126	504	000	
	125	SUB	#3#AP	126	91	683	
Q	125	20	INC	126	100	114	
0	125	SUB	椒	126	-	000	
	125	JP	INCOL	971	100	114	
6	125	SUB	#3#A	126	166	600	
0	25	9	INCOL	126	100	717	
٠	126	ADD		1.26	99	000	
	126	JP	INCBL	121	100	114	
9	126	FZ	*WIFBESSEL) *ANEG	end	11730	104	
	-id		*W(FBESSEL+2)*	127	313	501	
	126		BIHNE	127	100	138	
	126	d	SFI SI	-	1A G	12	

			SUNTRACK FRACHTMAN#7/14/64	114/64			
CARDS	LI IU LABEL	TA STA	TEMENT	707	F JKB	>	NOTES
	126	SEL	CL*M(KEY)	81275	52638	01317	
	26	STR	(FB	12	15033	10	
•	127	ENI	U*W(BESSEL+2)	127	10030	103	
	127	ADD	0+1	130	26000	200	
	127	RPL	Y+Q*W(BESSEL)	130	940	103	
•	127	d P	FIX1+3	133	61000	1.2	
	127	61	W.	130	20030	50	
	1275	dr	* ANE	3	60700	01282	
	127	SEL	×	130	50030	-	
	127	STR	200	138	15030	104	
0	130	ENT	S	3	16036	103	
	130	SUB	C * 1	3	27600	30001	
	133	RPL	Y+Q*W(BESSEL)	31	34030	103	
9	138	d P	FIX1+3	131	61668	01206	
	130	T2	BESSEL) *A	131	-	96	
	1345		1ESSEL+31+5	131	20136	-	
	130	JP	55	131	61000	32	
0	133	d C	10	131	60600	121	
0	131	SEL	ш	131	52030	101	
4	131	STR	A . W (FBESSEL)	132	15030	01046	
	(4)	ENT	55	132	3	1.83	
0	131	ADD	0.01	132	26000	000	
0	131	RPL	Y+0*W(BESSEL)	132	3	103	
2	131	d C	FIX2+3	132	61000	21	
9	131	62	A#W(FBESSEL+3)	132	3	185	
0	131	JP	NØFLØ2*ANEG	32	60700	01216	
0	132	SEL	SET * W(KEY)	132	83	101	
	132	STR	3ES	33	03	90	
	132	ENT	Q*W(BESSEL+3)	133	63	23	
	132	SUB	2*1	133	27030	888	
9	132	RPL	Y+D*W(BESSEL)	133	83	143	
	132	JP	3	133	61000	01216	
	132	T3 E	A*W(FBESSEL) *ANEG	01335	11730	13	
9	132	ADD	3ESSEL+4	W1336	20130	01052	
4	133	JP	0	11337	61000	34	
	133	JP	NOFLB3*APBS	01340	68688	01216	
	133		KE	34	52030		
9	33	STR	200	01342	15030	91846	
	Pr.	2	A 8 5 -	36	10030	5	
	31235	ADD	1 100	134	500	1 2	
	133			101	200	9	

FRACHTMAN#7/14/64

SUNTRACK

																						SHIFTS								SHIFTS										
																						10								1.0										
																						SET								SET										
																						82								85										
																						ITH								H										
NOTES																						ENTER W								ENTER W										
>	163	01222	100	177	101	1 2	000	103	122	699	101	112	800	101	113	8003	101	116	6003	INT		000	140	000	000	137	999	22	137	808	5	000	800	3	5	3	251	3	20000	
F JKB	34030	3	5003	0 - 0	25000	7 5	1001	403	100	100	003	61000	200	8003	50	100	800	2	700	2	BBBI	100	010	720	800	101	130	100	proof.	100	30	320	000	101	330	100	12	200	50	
707	134	01346	134	135	200	1 2 5	135	135	135	132	136	136	136	136	136	136	136	136	137	137	137	137	137	137	137	137	145	143	140	140	140	143	143	140	141	141	141	141	141	
TATEMENT	Y.		ASMIFBESSE	MULLUSAAN	A TO TO TO CO	T T T T T T T T T T T T T T T T T T T	U.S.I	MeOAA	FIX3+3	A0#29			AQ#29									~	MIKESANE	AQ#85#J		KIT	AD		XII	<b>トスエア</b>	MAX#AN	A2*85*U	A	XII	V	A	KIT			
TA SI	a.	40	A	7	200	2 4	1 7	8	30	L 5	S	40	7	SE	1	7	SE	1	_	SE	7	E	10	7	A	E	1	S	0	E	10	2	A	E)	2	S	E)	9	9	
LABEL			BUTHNEGS							NEGBESSI			<b>MEGBESS2</b>			NEGBESS3			NEGBESS4			LEFRNDØFF					MIKE			RBUNDBFF					MAX			00	BLEY	
ID	336	337	34.0	34 T	345	366	1 4 4 4	346	347	350	351	35%	353	354	355	356	357	366	361	362	363	364	365	366	367	376	371	372	373	374	375	376	377	400	4.11	4	603	505	4.85	
L1	N	0133	70	3 5	9 5	4 6	2 2	70	10	10	10	10	10	20	10	10	9	101	101	19	10	20	10	01	OL	10	DI	10	10	10	31		yeard	-	01	mil	-		-	
CARDS				a		6									٠	a						8						a		a				٠	a		9		9	
S																						3(																		

# SUNTRACK FRACHIMAN+7/14/64

X C X	LI ID LAB	EL	TA STATEMENT		207	T JKB	>	NOTES
	14.	JULIAN	9.		4	2	00	
9	160	IMPERI	9		01416	0000	80	
	141	TAPEBLOC	50		7 5		88	
	141	SLØTBLØ	2		142	80000	3	
	141	TAPESEAR	50		142	20	00	
0	141	RAAD	9		42	20000	20200	
	141	DECA	2.		142	22000	3	
	141	DISTAD	8		142	900	898	
	141	RADIFA	P.		142	00000	50	
	141	DECOIF	0		142	00000	0	
	142	DIST	9		142	2		
	142	SAFE	9		143	2	38	
	142	AEPH	RESERVE	8630	143	50	0	
	01423	LASTEPHEM	8		03178	66666	0	
	142		RESERVE		317	660	3	
					17	2	326	
					17	511	20	
					7	200	222	

### REFERENCES

- 1. "Haystack Pointing System Ephemeris Tape Program", M.I.T. Lincoln Laboratory, Publication 1964-41. (In Preparation)
- 2. Explanatory Supplement to the Astronomical Ephemeris and the American Ephemeris and Nautical Almanac (Her Majesty''s Stationery Office, London, 1961.
- 3. R. Butler and E. Kerr, An Introduction to Numerical Methods (Sir Isaac Pitman and Sons, Ltd., London).

### DISTRIBUTION LIST

W. B. Davenport

G. P. Dinneen

H. G. Weiss

J. W. Meyer

### Group 31

I. S. Arthur

J. R. Burdette

C. A. Clark

C. T. Frerichs

R. F. Gagne

G. M. Hyde

R. P. Ingalls

M. L. Meeks

J. E. Morriello

V. C. Pineo

W. Rutkowski

P. B. Sebring

M. L. Stone

S. Weinreb

### Group 62

P. Rosen

F. E. Heart

W. R. Crowther

J. D. Drinan

H. E. Frachtman

D. M. Hafford

A. A. Mathiason

F. Nagy S. B. Russell

E. H. Saliga

P. D. Smith

P. Stylos

R. Teoste

S. J. White

### Group 76

A. O. Kuhnel

DOCUMENT	CONT	POL	DATA	- PAD
DOCUMENT	CORT	KUL	DAIA	" KOLU

(Security classification of ti	le, body of abstract a	nd indexing annotation must	be entered wh	hen the overal	Il report is cl	assified
--------------------------------	------------------------	-----------------------------	---------------	----------------	-----------------	----------

1. ORIGINATING ACTIVITY (Corporate author)
LINCOLN LABORATORY M.I.T.
LEXINGTON, MASS.

24. REPORT SECURITY CLASSIFICATION UNCLASSIFIED

2 b. GROUP N/A

3. REPORT TITLE

HAYSTACK POINTING SYSTEM: SUN

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)
GROUP REPORT

5. AUTHOR(S) (Last name, first name, initial)

FRACHTMAN, H. E.

6. REPORT DATE 29 July 1964	78. TOTAL NO. OF PAGES 76. NO. OF REFS	4			
AF 19(628)-500 b. project no.	9a. ORIGINATOR'S REPORT NUMBER(S) 19611-110				
c. d.	9b. OTHER REPORT NO(S) (Any other numbers that may be assign this report) ESD-TDR-64-355	ned			

### 10. A VAIL ABILITY/LIMITATION NOTICES

OTS RELEASE AUTHORIZED
QUALIFIED REQUESTORS MAY OBTAIN FROM DDC.

12. SPONSORING MILITARY ACTIVITY

L. G. HANSCOM FIELD

BEDFORD, MASS. 01731

### 13. ABSTRACT

This memorandum describes the method used by the Haystack pointing computer program for obtaining the celestial coordinates of the SUN at any time.

### INSTRUCTIONS

- 1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.
- 8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).
- 10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- 11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.